



Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Raw Well
 Special

Hampton Bays Water District
P.O. Box 1013
Hampton Bays, NY 11946
Attn To : Rob King

Lab No. : 7064565001
Client Sample ID.: S-15687

Federal ID : 5103704
 Collected : 09/12/2018 08:10 AM Point No: S-15687
 Received : 09/12/2018 05:10 PM Location: Well #1-1
 Collected By : CLIENT

Analytical Method: EPA 537		Prep Method: EPA 537			Prep Date: 09/21/2018 8:19 AM		
Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Perfluorobutanesulfonic acid	<0.086		1	ug/L		09/25/2018 2:06 PM	
Perfluoroheptanoic acid	<0.0095		1	ug/L		09/25/2018 2:06 PM	
Perfluorohexanesulfonic acid	<0.029		1	ug/L		09/25/2018 2:06 PM	
Perfluorononanoic acid	<0.019		1	ug/L		09/25/2018 2:06 PM	
Perfluorooctanesulfonic acid	0.087		1	ug/L		09/25/2018 2:06 PM	
Perfluorooctanoic acid	0.0062		1	ug/L		09/25/2018 2:06 PM	
Surr: 13C2-PFDA (S)	109%		1	%REC		09/25/2018 2:06 PM	
Surr: 13C2-PFHxA (S)	93%		1	%REC		09/25/2018 2:06 PM	

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
 ND - Not Detected at or above adjusted reporting limit.
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).
 Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 09/26/2018



575 Broad Hollow Road, Melville, NY 11747
 TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Raw Well
 Special

Hampton Bays Water District
P.O. Box 1013
Hampton Bays, NY 11946
Attn To : Rob King

Lab No. : 7064565002
Client Sample ID.: S-24848

Federal ID : 5103704
 Collected : 09/12/2018 08:05 AM Point No: S-24848
 Received : 09/12/2018 05:10 PM Location: Well #1-2
 Collected By : CLIENT

Analytical Method: EPA 537		Prep Method: EPA 537			Prep Date: 09/18/2018 2:54 AM		
Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Perfluorobutanesulfonic acid	<0.084		1	ug/L		09/19/2018 4:47 PM	002 BP2T1/2
Perfluoroheptanoic acid	<0.0093		1	ug/L		09/19/2018 4:47 PM	002 BP2T1/2
Perfluorohexanesulfonic acid	<0.028		1	ug/L		09/19/2018 4:47 PM	002 BP2T1/2
Perfluorononanoic acid	<0.019		1	ug/L		09/19/2018 4:47 PM	002 BP2T1/2
Perfluorooctanesulfonic acid	0.047		1	ug/L		09/19/2018 4:47 PM	002 BP2T1/2
Perfluorooctanoic acid	0.0050		1	ug/L		09/19/2018 4:47 PM	002 BP2T1/2
Surr: 13C2-PFDA (S)	99%		1	%REC		09/19/2018 4:47 PM	002 BP2T1/2
Surr: 13C2-PFHxA (S)	86%		1	%REC		09/19/2018 4:47 PM	002 BP2T1/2

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
 ND - Not Detected at or above adjusted reporting limit.
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).
 Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 09/26/2018



575 Broad Hollow Road, Melville, NY 11747
 TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Raw Well
 Special

Hampton Bays Water District
P.O. Box 1013
Hampton Bays, NY 11946
Attn To : Rob King

Lab No. : 7064565003
Client Sample ID.: S-31636

Federal ID : 5103704
 Collected : 09/12/2018 07:45 AM Point No: S-31636
 Received : 09/12/2018 05:10 PM Location: Well #1-3
 Collected By : CLIENT

Analytical Method: EPA 537		Prep Method: EPA 537			Prep Date: 09/18/2018 2:54 AM		
Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Perfluorobutanesulfonic acid	<0.086		1	ug/L		09/19/2018 5:04 PM	003 BP2T1/2
Perfluoroheptanoic acid	<0.0095		1	ug/L		09/19/2018 5:04 PM	003 BP2T1/2
Perfluorohexanesulfonic acid	<0.029		1	ug/L		09/19/2018 5:04 PM	003 BP2T1/2
Perfluorononanoic acid	<0.019		1	ug/L		09/19/2018 5:04 PM	003 BP2T1/2
Perfluorooctanesulfonic acid	<0.038		1	ug/L		09/19/2018 5:04 PM	003 BP2T1/2
Perfluorooctanoic acid	0.0036		1	ug/L		09/19/2018 5:04 PM	003 BP2T1/2
Surr: 13C2-PFDA (S)	98%		1	%REC		09/19/2018 5:04 PM	003 BP2T1/2
Surr: 13C2-PFHxA (S)	84%		1	%REC		09/19/2018 5:04 PM	003 BP2T1/2

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
 ND - Not Detected at or above adjusted reporting limit.
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).
 Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 09/26/2018



575 Broad Hollow Road, Melville, NY 11747
 TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Raw Well
 Special

Hampton Bays Water District
P.O. Box 1013
Hampton Bays, NY 11946
Attn To : Rob King

Lab No. : 7064565004
Client Sample ID.: COMBINED EFF.

Federal ID : 5103704
 Collected : 09/12/2018 07:55 AM Point No:
 Received : 09/12/2018 05:10 PM Location:
 Collected By : CLIENT

Analytical Method: EPA 537		Prep Method: EPA 537			Prep Date: 09/18/2018 2:54 AM		
Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Perfluorobutanesulfonic acid	<0.095		1	ug/L		09/19/2018 5:21 PM	004 BP2T1/2
Perfluoroheptanoic acid	<0.011		1	ug/L		09/19/2018 5:21 PM	004 BP2T1/2
Perfluorohexanesulfonic acid	<0.032		1	ug/L		09/19/2018 5:21 PM	004 BP2T1/2
Perfluorononanoic acid	<0.021		1	ug/L		09/19/2018 5:21 PM	004 BP2T1/2
Perfluorooctanesulfonic acid	<0.042		1	ug/L		09/19/2018 5:21 PM	004 BP2T1/2
Perfluorooctanoic acid	<0.0021		1	ug/L		09/19/2018 5:21 PM	004 BP2T1/2
Surr: 13C2-PFDA (S)	114%		1	%REC		09/19/2018 5:21 PM	004 BP2T1/2
Surr: 13C2-PFHxA (S)	101%		1	%REC		09/19/2018 5:21 PM	004 BP2T1/2

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
 ND - Not Detected at or above adjusted reporting limit.
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).
 Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 09/26/2018



575 Broad Hollow Road, Melville, NY 11747
 TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Raw Well
 Special

Hampton Bays Water District
P.O. Box 1013
Hampton Bays, NY 11946
Attn To : Rob King

Lab No. : 7064565005
Client Sample ID.: S-50970

Federal ID : 5103704
 Collected : 09/12/2018 08:20 AM Point No: S-50970
 Received : 09/12/2018 05:10 PM Location: Well #2-1
 Collected By : CLIENT

Analytical Method: EPA 537		Prep Method: EPA 537			Prep Date: 09/18/2018 2:54 AM		
Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Perfluorobutanesulfonic acid	<0.084		1	ug/L		09/19/2018 5:38 PM	005 BP2T1/2
Perfluoroheptanoic acid	<0.0094		1	ug/L		09/19/2018 5:38 PM	005 BP2T1/2
Perfluorohexanesulfonic acid	<0.028		1	ug/L		09/19/2018 5:38 PM	005 BP2T1/2
Perfluorononanoic acid	<0.019		1	ug/L		09/19/2018 5:38 PM	005 BP2T1/2
Perfluorooctanesulfonic acid	<0.038		1	ug/L		09/19/2018 5:38 PM	005 BP2T1/2
Perfluorooctanoic acid	<0.0019		1	ug/L		09/19/2018 5:38 PM	005 BP2T1/2
Surr: 13C2-PFDA (S)	94%		1	%REC		09/19/2018 5:38 PM	005 BP2T1/2
Surr: 13C2-PFHxA (S)	81%		1	%REC		09/19/2018 5:38 PM	005 BP2T1/2

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
 ND - Not Detected at or above adjusted reporting limit.
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).
 Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 09/26/2018



575 Broad Hollow Road, Melville, NY 11747
 TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Raw Well
 Special

Hampton Bays Water District
P.O. Box 1013
Hampton Bays, NY 11946
Attn To : Rob King

Lab No. : 7064565006
Client Sample ID.: S-74071

Federal ID : 5103704
 Collected : 09/12/2018 08:30 AM Point No: S-74071
 Received : 09/12/2018 05:10 PM Location: Well #2-2
 Collected By : CLIENT

Analytical Method: EPA 537		Prep Method: EPA 537			Prep Date: 09/18/2018 2:54 AM		
Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Perfluorobutanesulfonic acid	<0.084		1	ug/L		09/19/2018 5:55 PM	006 BP2T1/2
Perfluoroheptanoic acid	<0.0093		1	ug/L		09/19/2018 5:55 PM	006 BP2T1/2
Perfluorohexanesulfonic acid	<0.028		1	ug/L		09/19/2018 5:55 PM	006 BP2T1/2
Perfluorononanoic acid	<0.019		1	ug/L		09/19/2018 5:55 PM	006 BP2T1/2
Perfluorooctanesulfonic acid	<0.037		1	ug/L		09/19/2018 5:55 PM	006 BP2T1/2
Perfluorooctanoic acid	<0.0019		1	ug/L		09/19/2018 5:55 PM	006 BP2T1/2
Surr: 13C2-PFDA (S)	95%		1	%REC		09/19/2018 5:55 PM	006 BP2T1/2
Surr: 13C2-PFHxA (S)	82%		1	%REC		09/19/2018 5:55 PM	006 BP2T1/2

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
 ND - Not Detected at or above adjusted reporting limit.
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).
 Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 09/26/2018



575 Broad Hollow Road, Melville, NY 11747
 TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Raw Well
 Special

Hampton Bays Water District
P.O. Box 1013
Hampton Bays, NY 11946
Attn To : Rob King

Lab No. : 7064565007
Client Sample ID.: S-58350

Federal ID : 5103704
 Collected : 09/12/2018 09:20 AM Point No: S-58350
 Received : 09/12/2018 05:10 PM Location: Well #3-1
 Collected By : CLIENT

Analytical Method: EPA 537		Prep Method: EPA 537			Prep Date: 09/18/2018 2:54 AM		
Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Perfluorobutanesulfonic acid	<0.090		1	ug/L		09/19/2018 6:30 PM	007 BP2T1/2
Perfluoroheptanoic acid	<0.010		1	ug/L		09/19/2018 6:30 PM	007 BP2T1/2
Perfluorohexanesulfonic acid	<0.030		1	ug/L		09/19/2018 6:30 PM	007 BP2T1/2
Perfluorononanoic acid	<0.020		1	ug/L		09/19/2018 6:30 PM	007 BP2T1/2
Perfluorooctanesulfonic acid	<0.040		1	ug/L		09/19/2018 6:30 PM	007 BP2T1/2
Perfluorooctanoic acid	<0.0020		1	ug/L		09/19/2018 6:30 PM	007 BP2T1/2
Surr: 13C2-PFDA (S)	97%		1	%REC		09/19/2018 6:30 PM	007 BP2T1/2
Surr: 13C2-PFHxA (S)	84%		1	%REC		09/19/2018 6:30 PM	007 BP2T1/2

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
 ND - Not Detected at or above adjusted reporting limit.
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).
 Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 09/26/2018



575 Broad Hollow Road, Melville, NY 11747
 TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Raw Well
 Special

Hampton Bays Water District
P.O. Box 1013
Hampton Bays, NY 11946
Attn To : Rob King

Lab No. : 7064565008
Client Sample ID.: S-58351

Federal ID : 5103704
 Collected : 09/12/2018 09:10 AM Point No: S-58351
 Received : 09/12/2018 05:10 PM Location: Well #3-2
 Collected By : CLIENT

Analytical Method: EPA 537		Prep Method: EPA 537			Prep Date: 09/18/2018 2:54 AM		
Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Perfluorobutanesulfonic acid	<0.085		1	ug/L		09/19/2018 6:47 PM	008 BP2T1/2
Perfluoroheptanoic acid	<0.0095		1	ug/L		09/19/2018 6:47 PM	008 BP2T1/2
Perfluorohexanesulfonic acid	<0.028		1	ug/L		09/19/2018 6:47 PM	008 BP2T1/2
Perfluorononanoic acid	<0.019		1	ug/L		09/19/2018 6:47 PM	008 BP2T1/2
Perfluorooctanesulfonic acid	<0.038		1	ug/L		09/19/2018 6:47 PM	008 BP2T1/2
Perfluorooctanoic acid	<0.0019		1	ug/L		09/19/2018 6:47 PM	008 BP2T1/2
Surr: 13C2-PFDA (S)	95%		1	%REC		09/19/2018 6:47 PM	008 BP2T1/2
Surr: 13C2-PFHxA (S)	83%		1	%REC		09/19/2018 6:47 PM	008 BP2T1/2

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
 ND - Not Detected at or above adjusted reporting limit.
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).
 Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 09/26/2018



575 Broad Hollow Road, Melville, NY 11747
 TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Raw Well
 Special

Hampton Bays Water District
P.O. Box 1013
Hampton Bays, NY 11946
Attn To : Rob King

Lab No. : 7064565009
Client Sample ID.: S-58352

Federal ID : 5103704
 Collected : 09/12/2018 09:30 AM Point No: S-58352
 Received : 09/12/2018 05:10 PM Location: Well #3-3
 Collected By : CLIENT

Analytical Method: EPA 537		Prep Method: EPA 537			Prep Date: 09/18/2018 2:54 AM		
Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Perfluorobutanesulfonic acid	<0.084		1	ug/L		09/19/2018 7:04 PM	009 BP2T1/2
Perfluoroheptanoic acid	<0.0093		1	ug/L		09/19/2018 7:04 PM	009 BP2T1/2
Perfluorohexanesulfonic acid	<0.028		1	ug/L		09/19/2018 7:04 PM	009 BP2T1/2
Perfluorononanoic acid	<0.019		1	ug/L		09/19/2018 7:04 PM	009 BP2T1/2
Perfluorooctanesulfonic acid	<0.037		1	ug/L		09/19/2018 7:04 PM	009 BP2T1/2
Perfluorooctanoic acid	<0.0019		1	ug/L		09/19/2018 7:04 PM	009 BP2T1/2
Surr: 13C2-PFDA (S)	98%		1	%REC		09/19/2018 7:04 PM	009 BP2T1/2
Surr: 13C2-PFHxA (S)	85%		1	%REC		09/19/2018 7:04 PM	009 BP2T1/2

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
 ND - Not Detected at or above adjusted reporting limit.
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
 U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).
 Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 09/26/2018

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747
 TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Raw Well
 Special

Hampton Bays Water District
P.O. Box 1013
Hampton Bays, NY 11946
Attn To : Rob King

Lab No. : 7064565010
Client Sample ID.: S-108065

Federal ID : 5103704
 Collected : 09/12/2018 08:45 AM Point No: S-108065
 Received : 09/12/2018 05:10 PM Location: Well #4-1
 Collected By : CLIENT

Analytical Method: EPA 537		Prep Method: EPA 537			Prep Date: 09/18/2018 2:54 AM		
Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Perfluorobutanesulfonic acid	<0.087		1	ug/L		09/19/2018 7:21 PM	010 BP2T1/2
Perfluoroheptanoic acid	<0.0097		1	ug/L		09/19/2018 7:21 PM	010 BP2T1/2
Perfluorohexanesulfonic acid	<0.029		1	ug/L		09/19/2018 7:21 PM	010 BP2T1/2
Perfluorononanoic acid	<0.019		1	ug/L		09/19/2018 7:21 PM	010 BP2T1/2
Perfluorooctanesulfonic acid	<0.039		1	ug/L		09/19/2018 7:21 PM	010 BP2T1/2
Perfluorooctanoic acid	<0.0019		1	ug/L		09/19/2018 7:21 PM	010 BP2T1/2
Surr: 13C2-PFDA (S)	94%		1	%REC		09/19/2018 7:21 PM	010 BP2T1/2
Surr: 13C2-PFHxA (S)	79%		1	%REC		09/19/2018 7:21 PM	010 BP2T1/2

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
 ND - Not Detected at or above adjusted reporting limit.
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).
 Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 09/26/2018



Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Raw Well
 Special

Hampton Bays Water District
P.O. Box 1013
Hampton Bays, NY 11946
Attn To : Rob King

Lab No. : 7064565011
Client Sample ID.: S-108066

Federal ID : 5103704
 Collected : 09/12/2018 08:55 AM Point No: S-108066
 Received : 09/12/2018 05:10 PM Location: Well #4-2
 Collected By : CLIENT

Analytical Method: EPA 537		Prep Method: EPA 537			Prep Date: 09/18/2018 2:54 AM		
Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Perfluorobutanesulfonic acid	<0.084		1	ug/L		09/19/2018 7:38 PM	011 BP2T1/2
Perfluoroheptanoic acid	<0.0093		1	ug/L		09/19/2018 7:38 PM	011 BP2T1/2
Perfluorohexanesulfonic acid	<0.028		1	ug/L		09/19/2018 7:38 PM	011 BP2T1/2
Perfluorononanoic acid	<0.019		1	ug/L		09/19/2018 7:38 PM	011 BP2T1/2
Perfluorooctanesulfonic acid	<0.037		1	ug/L		09/19/2018 7:38 PM	011 BP2T1/2
Perfluorooctanoic acid	<0.0019		1	ug/L		09/19/2018 7:38 PM	011 BP2T1/2
Surr: 13C2-PFDA (S)	117%		1	%REC		09/19/2018 7:38 PM	011 BP2T1/2
Surr: 13C2-PFHxA (S)	97%		1	%REC		09/19/2018 7:38 PM	011 BP2T1/2

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
 ND - Not Detected at or above adjusted reporting limit.
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).
 Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 09/26/2018



575 Broad Hollow Road, Melville, NY 11747
 TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

Sample Information:

Type: Drinking Water
 Origin: Raw Well
 Special

Hampton Bays Water District
P.O. Box 1013
Hampton Bays, NY 11946
Attn To : Rob King

Lab No. : 7064565012
Client Sample ID.: S-127163

Federal ID : 5103704
 Collected : 09/12/2018 Point No: S-127163
 Received : 09/12/2018 05:10 PM Location: Well #5-1
 Collected By : CLIENT

Analytical Method: EPA 537		Prep Method: EPA 537			Prep Date: 09/18/2018 2:54 AM		
Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Perfluorobutanesulfonic acid	<0.087		1	ug/L		09/19/2018 7:55 PM	012 BP2T1/2
Perfluoroheptanoic acid	<0.0096		1	ug/L		09/19/2018 7:55 PM	012 BP2T1/2
Perfluorohexanesulfonic acid	<0.029		1	ug/L		09/19/2018 7:55 PM	012 BP2T1/2
Perfluorononanoic acid	<0.019		1	ug/L		09/19/2018 7:55 PM	012 BP2T1/2
Perfluorooctanesulfonic acid	<0.039		1	ug/L		09/19/2018 7:55 PM	012 BP2T1/2
Perfluorooctanoic acid	<0.0019		1	ug/L		09/19/2018 7:55 PM	012 BP2T1/2
Surr: 13C2-PFDA (S)	102%		1	%REC		09/19/2018 7:55 PM	012 BP2T1/2
Surr: 13C2-PFHxA (S)	88%		1	%REC		09/19/2018 7:55 PM	012 BP2T1/2

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
 ND - Not Detected at or above adjusted reporting limit.
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).
 Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 09/26/2018



575 Broad Hollow Road, Melville, NY 11747
TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

WorkOrder :
7064565

Laboratory Certifications

Ormond Beach Certification IDs

8 East Tower Circle, Ormond Beach, FL 32174
Alabama Certification #: 41320
Connecticut Certification #: PH-0216
Florida Certification #: E83079
Georgia Certification #: 955
Guam Certification: FL NELAC Reciprocity
Hawaii Certification: FL NELAC Reciprocity
Illinois Certification #: 200068
Indiana Certification: FL NELAC Reciprocity
Kansas Certification #: E-10383
Kentucky Certification #: 90050
Louisiana Certification #: FL NELAC Reciprocity
Louisiana Environmental Certificate #: 05007
Maryland Certification: #346
Michigan Certification #: 9911
Mississippi Certification: FL NELAC Reciprocity
Missouri Certification #: 236
Montana Certification #: Cert 0074
Nebraska Certification: NE-OS-28-14
Nevada Certification: FL NELAC Reciprocity
New Hampshire Certification #: 2958
New Jersey Certification #: FL022
New York Certification #: 11608
North Carolina Environmental Certificate #: 667
North Carolina Certification #: 12710
North Dakota Certification #: R-216
Oklahoma Certification #: D9947
Pennsylvania Certification #: 68-00547
Puerto Rico Certification #: FL01264
South Carolina Certification: #96042001
Tennessee Certification #: TN02974
Texas Certification: FL NELAC Reciprocity
US Virgin Islands Certification: FL NELAC Reciprocity
Virginia Environmental Certification #: 460165
Wyoming Certification: FL NELAC Reciprocity
West Virginia Certification #: 9962C
Wisconsin Certification #: 399079670
Wyoming (EPA Region 8): FL NELAC Reciprocity

Melichy Dahn 9-12-18 17:10

Sample Request Form PUBLIC WATER SUPPLIER

WELL OFF LINE

WELL RUN TO SYSTEM

YES NO VOC'S PRESERVED WITH HCl

Date: 9-12-18

Collected By: Hy Dahn

Accepted By: Hy Dahn

Cooler Temp: 4.4 °C

Client Info:

NAME OR CODE: HAMPTON BAYS WATER DISTRICT
ADDRESS: P.O. BOX 1013
HAMPTON BAYS, NEW YORK 11946
(631) 728-0179

Phone #:

Attn:

Proj. # or (Name):


Bill To:

Copies To:

Sample Info:

Sample Types	Purpose	Origin	Treatment Types
PW - Potable Water	RO - Routine	D - Distribution	AST - Air Stripper
GW - Groundwater	RE - Resample	RW - Raw Well	GAC - Granular Activated Charcoal
SW - Surface Water	S - Special	TW - Treated Well	N - Nitrate Removal Plant
WW - Waste Water		T - Tank	FE - Iron Removal Plant
AQ - Aqueous		MW - Monitoring Well	O - Other
S - Soil		I - Influent	
		E - Effluent	

Date/Time Collected:	Sample Type	Location	Origin	Treatment Type	Purpose	Field Readings Cl ₂ pH/Temp	Analysis	Lab No.
8:10 9-12-18	GW	WELL 1-1	RW	-	S		PFC'S	001
8:05 9-12-18	GW	WELL 1-2	RW	-	S		PFC'S	002
7:45 9-12-18	GW	WELL 1-3	RW	-	S		PFC'S	003
7:55 9-12-18	GW	COMBINED EFF.	RW	-	S		PFC'S	004
8:20 9-12-18	GW	WELL 2-1	RW	-	S		PFC'S	005
8:30 9-12-18	GW	WELL 2-2	RW	-	S		PFC'S	006
9:20 9-12-18	GW	WELL 3-1	RW	-	S		PFC'S	007
9:10 9-12-18	GW	WELL 3-2	RW	-	S		PFC'S	008
9:30 9-12-18	GW	WELL 3-3	RW	-	S		PFC'S	009
8:45 9-12-18	GW	WELL 4-1	RW	-	S		PFC'S	010
8:55 9-12-18	GW	WELL 4-2	RW	-	S		PFC'S	011
Remarks: 9-12-18	GW	WELL 5-1	RW	-	S		PFC'S	012



Sample Condition Upon Receipt

Client Name: Hagerman Bay

Proj **WO#: 7064565**
 PM: SWM Due Date: 09/26/18
 CLIENT: HBW

Courier: Fed Ex UPS USPS Client Commercial Pace Other

Tracking #: _____
 Custody Seal on Cooler/Box Present: Yes No Seals intact: Yes No

Packing Material: Bubble Wrap Bubble Bags Ziploc None Other

Thermometer Used: TH091 Correction Factor: 0.0

Cooler Temperature (°C): 4.7 Cooler Temperature Corrected (°C): 4.7

Temp should be above freezing to 6.0°C

USDA Regulated Soil (N/A, water sample)

Date and Initials of person examining contents: CA 9-12-18

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? YES NO

Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? Yes No

If Yes to either question, fill out a Regulated Soil Checklist (F-LI-C-010) and include with SCUR/COC paperwork.

		COMMENTS:
Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished:	<input type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name & Signature on COC:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: (Triple volume provided for MS/MSD)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container.
Sample Labels match COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	12. <u>NO TIME OF COLL FOR 012</u>
-Includes date/time/ID/Analysis Matrix SL WT OIL		
All containers needing preservation have been checked	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
pH paper Lot #		Sample #
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl, NaOH>9 Sulfide, NaOH>12 Cyanide)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Initial when completed: Lot # of added preservative: Date/Time preservative added
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water). Per Method, VOA pH is checked after analysis		
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14. Positive for Res. Chlorine? Y N
KI starch test strips Lot #		
Residual chlorine strips Lot #		
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if applicable):		

Client Notification/ Resolution: _____ Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

* PM (Project Manager) review is documented electronically in LIMS.