

Appendix A-15
Soil Boring Logs



East Coast Geoservices, LLC
 P.O. Box 2806
 Huntington Station, New York 11746
 Phone: (631) 513-8595
 www.info@eastcoastgeoservices.com

SOIL BORING LOG

Page 1 of 1

BORING I.D.		PROJECT NO.	PROJECT NAME			
B-1		ECG# 05105	The Hills @ Southampton			
LOGGED BY		APPROVED BY	LOCATION			
Eric Arnesen		Eric Arnesen	Spinney Road			
DRILLING CONTRACTOR		DRILLER	East Quogue, New York			
East Coast Geoservices, LLC		Johnathan McGinn				
DRILL BIT DIAMETER/TYPE		BOREHOLE DIAMETER	BORING LOCATION DESCRIPTION			
2.0 inch/Core Barrel		2.0 inch	Located approximately 500 feet northwest of the northern end of Spinney Road.			
LAND SURFACE ELEVATION		COORDINATES	DRILLING EQUIPMENT/METHOD	SAMPLING METHOD		
~70 ft amsl		NA	Power Probe 9600	Core Barrel		
DEPTH OF BORING		DEPTH TO WATER	START/FINISH DATE	BACKFILL		
25 feet		~ 55 feet bgs	7/30/14 to 7/30/14	Cuttings		
Sample Depth (feet)	Sample Interval (feet)	Visual Description	Group Symbol	Blow Counts	PID (ppm)	Remarks
0	0 to 5	All yellowish brown fine sand, trace gravel.	SP	NA	NA	3.0 feet recovered
5						
5	5 to 10	All same as above.	SP	NA	NA	4.0 feet recovered
10						
10	10 to 15	All pink fine sand, trace gravel.	SP	NA	NA	5.0 feet recovered
15						
15	15 to 20	All same as above.	SP	NA	NA	4.0 feet recovered
20						
20	20 to 25	All same as a bove.	SP	NA	NA	3.0 feet recovered
25						Boring Complete
25						DTW determined from piezometer installed at location.
30						
30						
35						
35						
40						
40						
45						
45						
50						
50						



East Coast Geoservices, LLC
 P.O. Box 2806
 Huntington Station, New York 11746
 Phone: (631) 513-8595
 www.info@eastcoastgeoservices.com

SOIL BORING LOG

Page 1 of 1

BORING I.D.		PROJECT NO.	PROJECT NAME			
B-2		ECG# 05105	The Hills @ Southampton			
LOGGED BY		APPROVED BY	LOCATION			
Eric Arnesen		Eric Arnesen	Spinney Road			
DRILLING CONTRACTOR		DRILLER	East Quogue, New York			
East Coast Geoservices, LLC		Johnathan McGinn				
DRILL BIT DIAMETER/TYPE		BOREHOLE DIAMETER	BORING LOCATION DESCRIPTION			
2.0 inch/Core Barrel		2.0 inch	Located approximately 1,000 feet east of the eastern end of Serenity Place.			
LAND SURFACE ELEVATION		COORDINATES	DRILLING EQUIPMENT/METHOD	SAMPLING METHOD		
~50 ft amsl		NA	Power Probe 9600	Score Barrel		
DEPTH OF BORING		DEPTH TO WATER	START/FINISH DATE		BACKFILL	
25 feet		~ 37 feet bgs	7/30/14 to 7/30/14		Cuttings	
Sample Depth (feet)	Sample Interval (feet)	Visual Description	Group Symbol	Blow Counts	PID (ppm)	Remarks
	0 to 5	All yellowish brown fine sand, trace gravel.	SP	NA	NA	4.0 feet recovered
5						
	5 to 10	All same as above.	SP	NA	NA	4.0 feet recovered
10						
	10 to 15	All pink fine sand, trace gravel.	SP	NA	NA	4.0 feet recovered
15						
	15 to 20	All same as above.	SP	NA	NA	3.5 feet recovered
20						
	20 to 25	All same as a bove.	SP	NA	NA	3.0 feet recovered
25						Boring Complete
						DTW determined from piezometer installed at location.
30						
35						
40						
45						
50						